सारणी					
सिक्के का मूह्य वर्ग	मानक अजन	ग्रनुशात उपचार			
		संरचना	मानक देजन		
1	2	3	4		
चास पैसे	3. 79 ग्राम	कोमियम के लिए 1/200 वां भाग छन या ऋण अर्थात् कोमियम की मात्रा में 17.5 प्रतिशत और 18.5 प्रतिशत के बीच का अन्तर हो सकता है।	1/25 वां भाग धन या ऋष्ण, भ्रयत्विजन में 3.9416 ग्राम और 3.6384 ग्राम के वीच का अन्तर हो सकता है।		
र्ज् शिस पै से	2. 83 ग्राम	कोमियम के लिए 1/200 वां भाग धन या ऋण, धर्मात् कोसियम की साक्षा में 17.5 प्रतिशत और 18.5 प्रतिशत के बीच का मन्तर हो सकता है।	1/2 इनां भाग धन या ऋण मर्थात् वजन है 2. 9432 ग्राम और 2. 7168 ग्राम के भीच का मन्तर हो सकता है।		
न पैसे	2 00 ग्राम	 कोमियम के लिए 1/200 वां भाग धन या ऋण, भ्रयीत् कोमियम की मान्ना में 17.5 प्रतिशत और 18.5 प्रतिशत के बीच का भन्तर हो सकता है। 	1/25को भाग खन या ऋण ग्रम्थीत् वजन मे 2 08 ग्राम और 1.92 ग्राम के बीघ का ग्रम्तर हो सकता है।		

[सं. फा. 1/25/87-सिक्का-2(1)] सी.पी. पथरोज, भवर सचिव

MINISTRY OF FINANCE

(Department of Economic Affairs)

New Delhi, the 26th August, 1988

NOTIFICATIONS

S.O. 81! (E): In exercise of the powers conferred by sub-section (1) of section 21 read with section, 7 of the Coinage Act, 1906 (3 of 1906) and supersession of the notification of the Government of India in the Ministry of Finance (Department of Economic Affairs) No. S.O. 143 (E), dated the 4th February, 1988, the Central Government hereby makes the following rules, namely:—

- 1. Short title and commencement:-
 - (1) These rules may be called the Chinge (Stan 19rd Weight and Remedy of the Ferritic Stainless Steel Coins) of Fifty Paise, Twenty-five Paise and Ten Paise (containing Iron 82% and Chromium 18%) Rules, 1988.
 - (2) They shall come into force on the 1 te of their publication in the Official Gazette.
- 2. Standard weight and remedy allowed on coins of certain denominations:—

The standard weight of the ferritic stainless steel coins, issued in the denominations specified in column (1) of the Table below, under section 6 of the Coinage Act, 1906 (3 of 1906) and the remedy allowed in making such coins shall be as specified in the corresponding entries in columns (2) and (3) respectively of the said Table.

TABLE

Denomination	Standard	Remedy allowed		
	Weight	in composition	in standard weight	
(1)	(2)	(3)		
Fifty paise	3.79 grammes	1/200th plus or minus for Chromium, that is to say, Chromium could vary between 17.5% and 18.5%.	1/25th plus or minus, that is to say the weight could vary between 3.9416 grammes and 3.6384 grammes	
Twentyfive paise	2.83 1/ grammes	293th plus or minus for Chromium, that is to say, Chromium could vary between 17.5% and 18.5%.	1/25th plus or minus, that is to say, the weight could vary between 2.9432 grammes and 2.7168 grammes.	
Ten paise	2.03 grammes	1/200th plus or minus for Chromium, that is to say, Chromium could vary between 17.5% and 18.5%.	1/25th plus or minus, that is to say, the weight could vary between 2.08 grammes and 1.92 grammes	

[No. F. 1/25/87—Coin II (1)]

का.मा. 812 (म).---केब्बिय सरकार, निक्का निर्माण मधिनियन, 1906 (1906 जा 3) जो भारा 6 हारा घरत सन्तियों का घयोग करते हुए, अौर भारत सरकार के कित मंत्राजय (मार्थिक कार्य विभाग) को मधिमूबना सं, का.मा. 144 (म) तत्रीच 3 फरनरी, 1988 को मधिकोन करते हुए, यह अवधारित करती है कि:---

- (क) केन्द्रीय सरकार के प्राधिकार के मधीन जारी किए जाने के लिए टकताल में निस्तलिखित मूल्य वर्ग के कैरिटिक स्टैनलैंग स्टील के सिक्के भी ढाले जाएंग, मर्चास् :---
 - (1) पचास पैसे
 - (2) प्रचीस पैसे
 - (3) दल पैसे।
 - (ख) उपयुक्त मूल्य वर्ग के सिक्के निम्निलिखित विमाओं, डिजाइनों और संरचना के झतुक्त होंगे, धर्यात्:---

सारणी

सिकके का मूल्य वर्ग	भाकार और बाहरी घ्यास	धानु संरघना		
पशास पैसे	ब् माकार 22 मिली मीटर	फेरिटिक स्टेंनलम स्टील में निम्नलि ख त समायिष्ट शोगा लीहा82 प्रतिशत कोमियम18 प्रतिशत		
प्®बीस पैसे	मृ ताकार 19 मित्री मी टर	केरिटिक स्टैनलेस स्टील में निम्नलिखित समाविष्ट होगा लोहा 82 प्रतिकत कोमियम 18 प्रतिकत		
दस पैसे	षृत्ताकार 16 मिनी मीटर	फेरिटिक स्टैनलेस स्टील में निम्निजि ख त समाविष्ट शोगी लोहा82 प्रतिशत कोसियम18 प्रतिशत		

विजाहम :

पचात पैते

मुख्य भागः सिक्के के मुख्य भाग पर मशोक स्तम्भ का लिह लीउँ होगा, जिसके नीचे "सत्यमेव अयते" संकेतिका अंकित होगी और ऊपरी बाई परिधि में "भारत" सब्द और ऊपरी दावीं परिधि में "INDIA" सब्द पार्थ्व में अंकित होगा। इसके बाई निचली परिधि में "पसे" सब्द और दावीं निचली परिधि

में" PAISE" शब्द के साथ पार्श्व अंकित मृत्य "50" भी अन्तर्राष्ट्रीय अंकों में अंकित होगा।

पुष्ठ भागः मिक्के के दम भाग पर संसद सहित भारत का मानियन्न अंकित होगा। ऊपरी समीं परिश्चि में "मारत" और "INDIA" एक ुअंकित होंगे और उसके नीचे सिक्का निर्माण का वर्ष मन्तर्राष्ट्रीय अंकों में दिशत होगा। यह सिक्का सावे किनारे वाला होगा।

पच्चीस पैसे :

मुख्य मागः सिक्के क मुख्य भाग पर भगोज स्तम्भ का तित् कार्ष होगा जित्रके तो ग'तश्यमेत जयते' संकेतिहा अंकित होगी और ऊपरी बाई रिविमें "मारत" शब्द और ऊपरी वार्यी परिति में "INDIA" शब्द पार्थ्व में अंकित होगा। इसके बाई निवली परिति में "पैसे" शब्द और ऊपरी दायी परिधि में "PAISE" भव्य के साथ पार्थ्व में अंकित मूल्य "25" भी भन्तर्राष्ट्रीय अंकों में अंकित होगा।

पुष्टमागः सिक्के के इस माग के मध्य में "राइनोसिरन" की प्रतिकृति और ऊपरी परिधि में सिक्का निर्माण का वर्षभ्रस्तर्राष्ट्रीय अंकी में अंकित होगा। इस सिक्के का किनारा साथ होगा।

बस पैसे :

ं मुद्ध मागः सिक्के के मुख्य भाग पर मशोक स्तम्य का तिह लोगे होंगा जिनके तीवे "सरयमेव जयते" संकेतिका अंकित होगी और बायों परिश्च में "भारत" शब्द और वायों परिश्च में "भारत" शब्द और वायों परिश्च में "INDIA" शब्द अंकित होगा।

पृथ्ठ माण : सिक्के के इस माग पर ऊपरी बायों परिक्षि में "पैसे" मध्य और ऊपरी दायों परिवि में "PAISE" मध्य और उसके नीचे सिक्का निर्माण का वर्ष घन्तरिष्ट्रीय अकों में और पार्थ्व में अंकित मूल्य"10" भी घन्तरिष्ट्रीय अंकों में अंकित होगा।

> [मं. फा. 1/25/87 सिक्का-2(2)] सी.जी. पद्मरोज, धवर सचित्र

S.O. 812 (E):—In exercise of the powers conferred by section 6 of the Coinage Act, 1906 (3 of 1906) and in supersession of the notification of the Government of India in the Ministry of Finance (Department of Economic Affairs) No. S.O. 144 (E), dated the 4th February, 1988, the Central Government hereby determines that:—

- (a) Ferritic Stainless Steel Coins of the following denominations shall also be coined at the Mint for issue under the authority of the Central Government, namely:—
 - (1) Fifty paise
 - (2) Twenty-five paise
 - (3) Ten paise.
- (b) The coins of the above denominations shall conform to the following dimensions, designs and composition, namely:—

Denomination of the coin	Shape and outside diameter	Metal Composition
Fifty paise	Circular 22 millimeters	Ferritic Stainless Steel containing Iron 82% Chromium 18%
Twenty-five paise	Circular 19 millimeters	Ferritic Stainless Steel containing Iron — 82 % Chromium — 18 %
Ten paise	Circular 16 millimeters	Ferritic Stainless Steel containing Iron — 82% Chromium — 18%

DESIGNS

Fifty paise:

Obverse: This face of the coin shall bear the Lion Capital of Ashoka Pillar with legend "स्वाने अवते" inscribed below, flanked on the left upper periphery with the word "शारत" and on the right upper periphery with the word "INDIA". It shall also bear the denominational value "50" in international numerals flanked on the left lower periphery with the word "त्रें" and on the right lower periphery with the word "PAISE".

Reverse: This face of the coin shall bear the map of India with Parliament House superimposed on it. On the right upper periphery the word "wm" and "INDIA" shall be inscribed and the year of coinage in international numerals shall be shown underneath. This coin will be with plain edge.

Twenty-five paise:

Obverse: This face of the coin shall bear the Lion Capital of Ashoka Pillar with legend "करने पर्ने" inscribed below, flanked on the left upper periphery with the word "INDIA" It shall also bear the denominational value "25" in international numerals flanked on the left lower periphery with the word "श्वे" and on the right lower periphery with the word "PAISE".


Reverse: This face of the coin shall bear in centre a replica of "RHINOCBROS" and the year of coinage in international numerals on upper periphery. This coin will be with plain edge.


Ten paise:

Obverse: This face of the coin shall bear the Lion Capital of Ashoka Piller with legend "तरव मेच चनते" inscribed below, flanked on the left periphery with the word "INDIA".

Reverse: This face of the coin shall bear the denominational value "10" in international numerals flanked on the left upper periphery with the word "dd" and on the right upper periphery with the word "PAISE" and the year of coinage in international numerals underneath. This coin will be with plain edge.

[No. F. 1/25/87—Coin-II (2)] C.G. PATHROSE, Under Seey.







AHIBI ZEI

भाग II—सण्ड 3—उप-सण्ड (ii) PART II—Section 3—Sub-Section (ii) प्रमीधकार से प्रकारित PUBLISHED BY AUTHORITY

435

नई दिल्ली, सोमवर्र, प्रवस्त 29, 1988/माट 7, 1910 NEW DELHI, MONDAY, AUGUST 29, 1988/BHADRA 7, 1916

इस भाग में निम्म पृष्ठ संख्या वो बाती है जिससे कि यह अलग संस्थान की क्रम में रकाः जा सके

Separate Paging is given to this Part in order that it may be filed as a superste compilation

किसाब मंत्रालय

नई दिल्ली. 29 अगस्त, 1988

श्रीधसूचना

का.आ. 813(अ):—केन्द्रीय सरकार, भारत सरकार के भूतपूर्व विद्धि, त्याय और कम्भृती कार्म मंत्रालय (विधायी विभाग) की अधिसूचना सं. का आ. 247 तारीख 30 दिसम्बर, 1975 जो भारत के राजपत भाग-2, खंड-3, उपखंड (ग्रें); तारीख 17 जनकरी. 1976 में प्रकाशित की गई शी, के साथ पिक्रत, वक्फ अधिनियम, 1954 का 29 (जिसे इसमें इसके पश्चात उक्त अधिनियम कहा गया है) की धारा 64 श्री उपधारा (3) हारा प्रदत्त शक्तियों का प्रयोग करते हुए, पंजाब वक्फ वोर्ड हैं के अतिष्ठित रहने की अवधि की, जो भारत सरकार के विधि, त्याय और कंपनी कार्म मंत्रालय (विधायी विभाग) की अधिसूचना सं. का.आ. 796(अ), तारीख 11 नवम्बर, 1981, सं. का.आ. 68(अ), तारीख 9 फरवरी, 1982, सं. का.आ. 105(अ), तारीख 9 फरवरी, 1983, सं. का.आ. 64(अ), तारीख 2 फरवरी, 1984 और सं. का.आ.